

Deadweight: 0

INTERNATIONAL LOAD LINE CERTIFICATE

Issued under the provisions of the International Convention on Load Lines, 1966, as modified by the Protocol of 1988 relating thereto under the authority of the Government of

United States of America

Commandant, U.S. Coast Guard

by American Bureau of Shipping

Particulars of Ship

Name of Ship		Disti	nctive Number or Letters
BROOKS MCCAL	L		1093280
Port of Registry	Length(L) as defi	ned in Article 2(8)	IMO Number ¹
Cameron, LA	145 Feet 6	-1/8 Inches	

Freeboard Assigned as: New Type of Ship: Type B Increased

Freeboard fro	m Deck Line:	3 Feet 9-5/16 Inches		Load Line
Tropical	N/A	(T)	N/A	above (S)
Summer	N/A	(S)	Upper edge	of line through center of ring
Winter	N/A	(W)	N/A	below (S)
Winter North Atlantic	N/A	(WNA)	N/A	below (S)
Timber Tropical	N/A	(LT)	N/A	above (LS)
Timber Summer	N/A	(LS)	N/A	above (S)
Timber Winter	N/A	(LW)	N/A	below (LS)
Timber Winter North Atlantic	N/A	(LWNA)	N/A	below (LS)


Allowance for fresh water for all freeboards other than timber: 2-3/16 Inches

For timber freeboards: N/A

The upper edge of the deck line from which these freeboards are measured is:

Opposite The Top of Upper Steel

deck at side.



This certificate is valid only so long as the operating restrictions in the vessel's stability letter, issued by ABS and dated 14 December 2018, are observed.

Deadweight: 0

THIS IS TO CERTIFY:

1. That the ship has been surveyed in accordance with the requirements of article 14 of the Convention.

2. That the survey showed that the freeboards have been assigned and load lines shown above have been marked in accordance with the Convention.

This certificate is valid until	21 June 2022	2			
Subject to the annual surveys ir	accordance with article 14	I(1)(c) of the Con	vention.		
Completion date of the survey of	on which this certificate is ba	ased:	23 May 2017	<u></u>	
Issued at	Beaumont, Texas, US	SA	on	18 December 2018	
	(Place of issue of certific	ate)		(Date of issue)	
			Flectronic	cally Signed By	
				I, Beaumont Station	
				can Bureau of Shipping)	

NOTES:

- 1. When a ship departs from a port situated on a river or inland waters, deeper loading shall be permitted corresponding to the weight of fuel and all other materials required for consumption between the point of departure and the sea.
- 2. When a ship is in fresh water of unit density the appropriate load line may be submerged by the amount of fresh water allowance shown above. Where the density is other than unity, an allowance shall be made proportional to the difference between 1.025 and the actual density.
- 3. It is the owner's responsibility to furnish the master with approved information and instructions for loading and ballasting this vessel to provide guidance as to stability of the vessel under varying conditions of service and to avoid unacceptable stresses in the vessel's structure, as defined in 46 CFR 42.09-1.
- 4. The Winter North Atlantic Load Line applies only to vessels of 328 ft. in length or less, which enter any part of the North Atlantic Ocean during the winter months as defined by the Load Line Regulations in 46 CFR 42.30-5 and 42.30-35. The periods during which the other seasonal load lines apply in different parts of the world are stated in the Load Line Regulations 46 CFR 42.30-5 to 42.30-30, inclusive.
- 5. This Load Line Certificate will be cancelled by the Commandant, U. S. Coast Guard, if...
 - a) The annual surveys have not been carried out within three months either way of each anniversary date of the certificate.
 - b) The certificate is not endorsed to show that the ship has been surveyed as indicated in (a).
 - c) Material alterations have been made to the hull or superstructures such as would necessitate the assignment of an increased freeboard.
 - The fittings and appliance for the protection of the openings, quardrails, freeing ports, or the means of access to the crew's quarters have not been in as effective a condition as they were when the Certificate was issued.
 - e) The structural strength of the ship is lowered to such an extent that the ship is unsafe.
- 6. When this Certificate has expired or been cancelled, it must be delivered to the Assigning Authority.



² Insert the date of expiry as specified by the Administration in accordance with article 19(1) of the Convention. The day and the month of this date correspond to the anniversary date as defined in article 2(9) of the Convention, unless amended in accordance with article 19(8) of the Convention.

Deadweight: 0

ENDORSEMENT FOR ANNUAL SURVEYS

THIS IS TO CERTIFY that, at an annual survey required by article 14(1)(c) of the Convention, the ship was found to comply with the relevant requirements of the Convention.

		-viousLY
Annual Survey:	Signed:	OUT PREVIOUS
		(Survey, Americanted out PREVIOUSLY UIRED SURVEY CARRIED, of Chipping)
	Place:	UIRED SURVE
	Date:	
Annual Survey:	Signed:	
Allitudi Survey.	olgried.	(Surveyor, American Bureau of Shipping)
	Place:	
	Date:	
Annual Survey:	Signed:	
		(Surveyor, American Bureau of Shipping)
	Place:	
	Date:	
Appual Curvoy	Signed:	
Annual Survey:	Signed.	(Surveyor, American Bureau of Shipping)
	Place:	(Garveyor, American Bureau or Gripping)
	Date:	
	SURVEY IN ACCORDANCE	
THIS IS TO CERTIFY that, at a su with the relevant requirements of the		9(8)(c) of the Convention, the ship was found to comply
with the relevant requirements of the	Convention.	
	<u>.</u>	
	Signed:	(Surveyor, American Bureau of Shipping)
	Dioce	(Garveyor, American Bareau or Ompping)
	Place: Date:	
	Date	
	MENT TO EXTEND THE C	
LESS 1	THAN 5 YEARS WHERE A	RTICLE 19(3) APPLIES
The ship complies with the relevant re of the Convention, be accepted as va		and this certificate shall, in accordance with article 19(3)
	Signed:	
ABS		(Surveyor, American Bureau of Shipping)
	Place:	
	Date:	

Deadweight: 0

ENDORSEMENT WHERE THE RENEWAL SURVEY HAS BEEN COMPLETED AND ARTICLE 19(4) APPLIES

Shipping) NG THE PORT APPLIES Shipping)
NG THE PORT APPLIES
NG THE PORT APPLIES
NG THE PORT APPLIES
NG THE PORT APPLIES
APPLIES
Shipping)
Shipping)
Shipping)
Shipping)
Shipping)
Shipping)
Shipping)